

Web Images Videos Maps News Shopping Gmail more ▼

[Search settings](#) | [Sign in](#)

Google

Google

(distribution OR push) server channel subscribe client hierarchy

Search

[Advanced Search](#)



Web

Results 1 - 10 of about 441,000 for (distribution OR push) server channel subscribe client hierarchy. (0.28 seconds)



[Show options...](#)

1. [Java beyond the browser: The \*\*channel\*\* metaphor](#)

When you **subscribe** to a **channel**, you get a complete copy of the ... No state is kept on the **server** that tells it anything about a **client's** current **channel** version. ... of a "push" model, in which the updates are broadcast from the **server**. .... The Putback program will send your **channel's** directory **hierarchy** up to ...  
[www.artima.com/underthehood/beyondP.html](http://www.artima.com/underthehood/beyondP.html) - [Similar](#)

2. [Glossary](#)

The Oracle Collaboration Suite 10g Mobile **Push** Mail **server** sends ... review, create, modify and confirm calendar events, view a file **hierarchy** or fax. ... Mobile **Push server** sending a notification to a **client** through one **channel** (such ...  
[download.oracle.com/docs/cd/B25553\\_01/mobile.../glossary.htm](http://download.oracle.com/docs/cd/B25553_01/mobile.../glossary.htm) - [Cached](#)

3. [Modeling Load on a Publish/\*\*Subscribe\*\* System](#)

**channel hierarchy**. A **client** can publish/**subscribe** messages on multiple individual or group of **channels**. ... **client** and **server** machines and network. Therefore it is ... important to characterize the **client distribution** across all the ...  
[doi.ieeecomputersociety.org/10.1109/DEXA.2008.121](http://doi.ieeecomputersociety.org/10.1109/DEXA.2008.121)  
by ZU Singhera - [All 2 versions](#)

4. [SYSTEM AND METHOD FOR HYPERTEXT TRANSFER PROTOCOL PUBLISH AND ...](#)

... Ajax or similar clients, and "**server push**" techniques. ... The pub/sub **server** can be used by web clients to **subscribe** to **channels** (otherwise referred to ... The **client** communicates with the **server** using the Hypertext Transfer Protocol, .... 4, the system can be used to associate a **channel**-based **hierarchy** 200, ...  
[www.faq9.org/patents/app/20090150502](http://www.faq9.org/patents/app/20090150502) - [Cached](#) - [Similar](#)

5. [RE: \[HOKEY\] \*\*Channel\*\* binding/ lying MITM: EMSK \*\*Hierarchy\*\* Changes](#)

A similar handshake MUST take part in the **distribution** of the rMSK. >> The **client**

MUST send a tamper-proof blob to the local HOKEY **server** >> through the ...  
[www.ietf.org/mail-archive/web/hokey/current/msg00285.html](http://www.ietf.org/mail-archive/web/hokey/current/msg00285.html) - [Cached](#)

6. [Using \*\*Distribution\*\* for Write Scalability \(Sun Java System ...](#)

When a **client** requests a write operation, the follow sequence of events ... Directory  
**Server** supports **hierarchy**-based **distribution** in conjunction with the ...  
[docs.sun.com/app/docs/doc/820-2760/qnqk?a=view](https://docs.sun.com/app/docs/doc/820-2760/qnqk?a=view) - [Cached](#)

7. [LSAM proxy cache: a multicast distributed virtual cache - Elsevier](#)

The LPC's multicast **hierarchy** is self-configuring, such that these popular ... **Client**  
caches often achieve limited benefit, because the users tend to browse ... In LSAM, a  
proxy tunes to the **server's** Olympic **channel** if its downstream ... Because of the initial  
multicast **push**, network resources and **server** load are ...  
[linkinghub.elsevier.com/retrieve/pii/S0169755298002530](http://linkinghub.elsevier.com/retrieve/pii/S0169755298002530) - [Similar](#)  
by J Touch - 1998 - [Cited by 86](#) - [Related articles](#) - [All 22 versions](#)

8. [\*\*Hierarchy\*\* of saving and retrieving control templates - Patent 5717439](#)

Other utilities available in network administration 18 are **distribution** lists ... As a  
result, both the **channel client** and **channel server** may operate on the ...  
[www.freepatentsonline.com/5717439.html](http://www.freepatentsonline.com/5717439.html) - [Similar](#)  
by JD Levine - 1998 - [Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

9. [Performance Analysis of \*\*Client-Server\*\* Storage Systems](#)

**Subscribe** (Full Service), Register (Limited Service, Free), Login ... The **server**  
controls a **hierarchy** of storage devices, and provides all the ... Several network  
topologies (Ethernet, token ring, **channel-to-channel**) and ... Vinay Kanitkar , Alex  
Delis, Time Constrained **Push** Strategies in **Client-Server** Databases, ...  
[portal.acm.org/citation.cfm?id=147805](http://portal.acm.org/citation.cfm?id=147805) - [Similar](#)  
by E Drakopoulos - 1992 - [Cited by 26](#) - [Related articles](#) - [All 5 versions](#)

10. [\*\*Push\*\* page user interface in a short range radio enabled mobile ...](#)

An object may include a content **hierarchy** such as a title, asummary and the full  
content. ... **push** proxy entity for subsequent transmission of the data to the **client** ... 1  
is a representation of a terminal air linked to a **push server** in a .... The hop **channel**  
selection function is a mapping algorithm which follows ...  
[www.patentstorm.us/patents/7565158/description.html](http://www.patentstorm.us/patents/7565158/description.html)

(distribution OR push) server channel subscribe client hierarchy

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)